

Reporting period: Jan 01, 2013 to Dec 31, 2013 Facility where exposure ALL Type facility where occurred: ALL 3. Dept where incident occurred: ALL 4. Home/Employing department: ALL 5. Job category: ALL 6. Where the exposure occurred: ALL 7. Source patient identifiable: ALL 8. Body fluid involved: ALL 8a. Body fluid contaminated with blood: ALL 12. Exposure was the result of: ALL	Total rate: 5.91 per 100 ADC Teaching rate: 6.64 per 100 ADC Non-teaching rate: 4.66 per 100 ADC ADC=Average Daily Census	
5. What is the job category of the exposed worker?		
· · · · · · · · · · · · · · · · · · ·	14	9.9%
1 Doctor (attending.staff) specialty 2 Doctor (interplaced and feelbays) angeights		9.9% 5.0%
2 Doctor (intern/resident/fellow) specialty3 Medical student	7 1	0.7%
3 Medical student4 Nurse	70	49.6%
	1	0.7%
5 Nursing student 6 Passing to my thoronist	$\frac{1}{2}$	1.4%
6 Respiratory therapist7 Surgery attendant	4	2.8%
8 Other attendant		
	1	0.7% 4.3%
11 Technologist (non lab)	6 25	4.3% 17.7%
15 Other, describe 16 Paramedic		
18 C.N.A./H.H.A.	4	2.8%
	3	2.1%
20 Security	3	2.1%
Total records: 141		
6. Where did the exposure occur?		
1 Patient room/ward	39	28.1%
2 Outside patient room	3	2.2%
3 Emergency department	20	14.4%
4 Intensive/Critical care unit	16	11.5%
5 Operating room/Recovery	29	20.9%
6 Outpatient clinic/Office	7	5.0%
8 Venipuncture center	1	0.7%
10 Procedure room	6	4.3%
14 Other, describe	13	9.4%
16 Labor and delivery room	5	3.6%
Total records: 139		
7. Was the source patient identifiable?		
•	107	00.20
1 Yes	137	99.3%
Page 1 of 4		



2 No Total records: 138	1	0.7%
8. Which body fluids were involved in the exposure?		
	91	64.5%
Blood or blood products Vomit	2	1.4%
	10	7.1%
Sputum Saliva	10	7.1%
CSF	10	0.7%
Peritoneal	$\overset{1}{2}$	1.4%
Pleural		0.7%
Amniotic	1 4	2.8%
		83.0%
Urine	117	
BFOther Total records: 141	21	14.9%
Total Tecords. 141		
8a. Was the body fluid visibly contaminated with blood?		
1 Yes	91	78.4%
2 No	9	7.8%
3 Unknown	16	13.8%
Total records: 116		
9. Was the exposed part?		
Intact skin	33	23.4%
Non-intact skin	21	14.9%
Eyes (conjunctiva)	91	64.5%
Nose (mucosa)	4	2.8%
Mouth (mucosa)	15	10.6%
Other exposed parts	15	10.6%
Total records: 141		
10. Did the blood or body fluid?		
Touch unprotected skin	117	83.0%
Touch skin between gap in protective garment	11	7.8%
Soaked through protective garment	2	1.4%
Soaked through clothing	0	0.0%
Total records: 141	v	0.0 70
11. Which barrier garments were worn at the time of exposure?		
Single pair of gloves	88	62.4%
Double pair of gloves	14	9.9%
Goggles	7	5.0%
Goggles Pegg 2 of 4	1	3.0%



-	_	
Eyeglasses, (not protective)	9	6.4%
Eyeglasses with sideshields	6	4.3%
Faceshield	5	3.5%
Surgical mask	18	12.8%
Surgical gown	26	18.4%
Plastic apron	0	0.0%
Labcoat, cloth, (not protective)	1	0.7%
Labcoat, other	0	0.0%
Other	21	14.9%
Total records: 141		
12. Was the exposure the result of?		
1 Direct patient contact	81	59.6%
2 Specimen container leaked/spilled	5	3.7%
3 Specimen container broke	2	1.5%
4 IV tubing/bag/pump leaked/broke	6	4.4%
5 Other body fluid container spilled/leaked	4	2.9%
6 Touched contaminated equipment/surface	1	0.7%
8 Unknown	1	0.7%
9 Other, describe	29	21.3%
10 Feeding/ventilator/other tube separated/leaked/spilled	7	5.1%
Total records: 136		
13. For how long was the blood or body fluid in contact with your ski	in or mucous mem	branes?
1 Less than 5 minutes	113	82.5%
2 5-14 minutes	14	10.2%
3 15 minutes to 1 hr	6	4.4%
4 More than 1 hr	4	2.9%
Total records: 137		
14. How much blood/body fluid came in contact with your skin or mu	ucous membranes?	,
1 Small amount (up to 5 cc)	125	92.6%
2 Moderate amount (up to 50 cc)	8	5.9%
3 Large amount (more than 50 cc)	2	1.5%
Total records: 135	_	-12 /-
15a. Exposure location: Largest exposure		
Arm	13	9.6%
Face/Head	103	75.7%
Foot	1	0.7%
Hand, left	7	5.1%
Hand, right	11	8.1%
Leg	1	0.7%

Page 3 of 4



Total records: 136

15b. Exposure location: Middle exposure

Arm	3	5.8%
Face/Head	45	86.5%
Hand, left	3	5.8%
Hand, right	1	1.9%
Total records: 52		

15c. Exposure location: Smallest exposure

Arm	1	10.0%
Face/Head	4	40.0%
Front	1	10.0%
Hand, left	1	10.0%
Hand, right	2	20.0%
Leg	1	10.0%
10		

Total records: 10

17. For injured worker: Do you have an opinion that any other engineering control, administrative or work practice could have prevented the injury?

1 Yes	16	15.5%
2 No	82	79.6%
3 Unknown	5	4.9%

Total records: 103