2008 EPINet Report: Blood and Body Fluid Exposures

International Healthcare Worker Safety Center University of Virginia

Reporting period:Jan	01, 2	2008	to De	c 31,	2008
Faa:114				_I _ A	

Facility where occurred: ALL Type facility where occurred: ALL

Dept where occurred: ALL

Home department: ALL

Job category: ALL

Where the exposure occurred: ALL

Identified source patient: ALL

Body fluid involved: ALL

Body fluid contaminated with blood: ALL

Was the exposure the result of? ALL

Hospital & rate information:

- Total # hospitals contributing data = 33 (10 teaching, 23 non-teaching)
- Total # BBF exposures reported: 371
- Average daily census (ADC), all hospitals combined:
 4920
- Blood and body fluid (BBF) exposure rate, all hospitals: 7.5 per 100 occupied beds
- Teaching hospitals: total BBFs =296; total

ADC=3904; BBF exposure rate= 7.6 per 100 occupied beds

• Non-teaching hospitals: total BBF exposures=75; ADC=1016; BBF exp. rate= 7.4 per 100 occupied beds

Page 1 of 4

5. Job category:

5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5		
1 Doctor (attending/staff) List specialty	17	4.6%
2 Doctor (intern/resident/fellow) List specialty	18	4.9%
3 Medical Student	3	0.8%
4 Nurse	197	53.5%
5 Nursing Student	6	1.6%
6 Respiratory Therapist	12	3.3%
7 Surgery Attendant	12	3.3%
8 Other Attendant	8	2.2%
9 Phlebotomist/Venipuncture/IV Team	9	2.4%
10 Clinical Laboratory Worker	10	2.7%
11 Technologist (non lab)	29	7.9%
14 Housekeeper	3	0.8%
15 Other, describe	28	7.6%
16 Paramedic	2	0.5%
17 Other Student	3	0.8%
18 CNA/HHA	9	2.4%
20 Security	2	0.5%
Total Records: 368		

6. Where did the exposure occur?

1 Patient Room/Ward	130	35.2%
2 Outside Patient Room	6	1.6%
3 Emergency Department	41	11.1%
4 Intensive/Critical Care Unit	59	16.0%
5 Operating Room/Recovery	60	16.3%
6 Outpatient Clinic/Office	8	2.2%
10 Procedure Room	32	8.7%
11 Clinical Laboratories	10	2.7%
12 Autopsy/Pathology	2	0.5%
13 Service/Utility Area	1	0.3%

Mar/08/2011

© International Healthcare Worker Safety Center, University of Virginia

EPINet Report for Blood and Body Fluid Exposures

14 Other, describe	12	3.3%
16 Labor and Delivery Room	6	1.6%
17 Home-care	2	0.5%
Total Records: 369		
7. Was the source patient identifiable?		
1 Yes	361	98.1%
2 No	3	0.8%
3 Unknown	4	1.1%
Total Records: 368		
8. Which body fluids were involved in the exposure?		
Blood or blood products	246	66.3%
Vomit	11	3.0%
Sputum	37	10.0%
Saliva	22	5.9%
CSF	0	0.0%
Peritoneal	15	4.0%
Pleural	4	1.1%
Amniotic Urine	4	1.1% 6.2%
BFOther	23 62	16.7%
Total Records: 371	02	10.7%
8a. Was the body fluid visibly contaminated with blood?		
1 Yes	227	66.8%
2 No	87	25.6%
3 Unknown	26	7.6%
Total Records: 340		
9. Was the exposed part?		
Intact Skin	124	33.4%
Non-Intact Skin	45	12.1%
Eyes (Conjunctiva)	249	67.1%
Nose (Mucosa)	19	5.1%
Mouth (Mucosa)	53	14.3%
Other Exposed Parts	10	2.7%
Total Records: 371		
10. Did the blood or body fluid?		
Touch Unprotected Skin	224	85.5%
Touch Skin Between Gap in Protective Garment	31	11.8%
Mar/08/2011		Page 2 of 4
		ε

EPINet Report for Blood and Body Fluid Exposures

Soaked through Protective Garment	0 7	0.0% 2.7%
Soaked through Clothing Total Records: 262	1	2.1%
11. Which barrier items were worn at the time of exposure?		
Single Pair of Gloves	264	71.2%
Double Pair of Gloves	25	6.7%
Goggles	9	2.4%
Eyeglasses, (not protective)	36	9.7%
Eyeglasses with Sideshields	5	1.3%
Faceshield	18	4.9%
Surgical Mask	49	13.2%
Surgical Gown	66	17.8%
Plastic Apron	0	0.0%
Labcoat, Cloth, (not protective)	8	2.2%
Labcoat, Other	3	0.8%
Other	22	5.9%
Total Records: 371		
12. Was the exposure the result of?		
1 Direct patient contact	192	52.0%
2 Specimen container leaked/spilled	22	6.0%
3 Specimen container broke	4	1.1%
4 IV tubing/bag/pump leaked/broke	31	8.4%
5 Other body fluid container spilled/leaked	25	6.8%
6 Touched contaminated equipment/surface	5	1.4%
7 Touched contaminated drapes/sheets/gown	1	0.3%
8 Unknown	1	0.3%
9 Other, describe	51	13.8%
10 Feeding/ventilator/other tube separated/leaked/spilled	37	10.0%
Total Records: 369		
13. For how long was the blood or body fluid in contact with your skin	or mucous mem	hranes?
·		
1 Less than 5 minutes 2 5-14 minutes	301	82.5%
_ · · · · · · · · · · · · · · · · · · ·	41	11.2%
3 15 minutes to 1 hr	20	5.5%
4 More than 1 hr Total Records: 365	3	0.8%
	•	n.
14. How much blood/body fluid came in contact with your skin or muce		
1 Small amount (up to 5 cc)	306	86.0%
2 Moderate amount (up to 50 cc)	32	9.0%
Mar/08/2011		Page 3 of 4

EPINet Report for Blood and Body Fluid Exposures

3 Large amount (more than 50 cc) Total Records: 356	18	5.1%
15a. Exposure location: Largest exposure		
Arm	19	5.7%
Face/Head	259	77.8%
Front	5	1.5%
Hand, left	17	5.1%
Hand, right	28	8.4%
Leg	5	1.5%
Total Records: 333		
15b. Exposure location: Middle exposure		
Arm	10	9.1%
Face/Head	82	74.5%
Foot	1	0.9%
Front	4	3.6%
Hand, left	11	10.0%
Hand, right	1	0.9%
Leg	1	0.9%
Total Records: 110		
15c. Exposure location: Smallest exposure		
Arm	9	29.0%
Face/Head	16	51.6%
Front	1	3.2%
Hand, left	3	9.7%
Hand, right	1	3.2%
Leg	1	3.2%
Total Records: 31		

Mar/08/2011 Page 4 of 4